

===== SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION =====

PRODUCT NAME: MM POWER TUNE #92 858080K03  
 PRODUCT CODE: L-14800

MANUFACTURER'S NAME: Mercury Marine  
 ADDRESS : 41-71 Bessemer Drive Dandenong South  
 Vic Australia  
 3175

EMERGENCY PHONE : Chemtrec Australia (Sydney) +(61) 290372994 (24 hours)  
 INFORMATION PHONE : +61 3 9791 5822

===== SECTION 2 - HAZARDS IDENTIFICATION =====

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE  
 RESPIRATORY IRRITATION, HEADACHE, NAUSEA, FATIGUE, DROWSINESS, IMPAIRED CO-  
 ORDINATION, POSSIBLE UNCONSCIOUSNESS.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE  
 SKIN: CONTACT MAY DRY THE SKIN; PROLONGED CONTACT MAY CAUSE IRRITATION. EYES:  
 LIQUID OR VAPOR CAN CAUSE SEVERE IRRITATION, REDNESS, TEARING, AND BLURRED  
 VISION; PROLONGED CONTACT MAY LEAD TO CORNEAL DAMAGE.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE  
 MAY BE ABSORBED. SOLVENT ACTION CAN DRY AND DEFAT THE SKIN CAUSING THE SKIN TO  
 CRACK, LEADING TO DERMATITIS.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE  
 NOT A LIKELY ROUTE OF EXPOSURE. CAN CAUSE GASTRO-INTESTINAL IRRITATION,  
 VOMITING, DIARRHEA, BLINDNESS AND DEATH. IF SWALLOWED, DO NOT INDUCE VOMITING.  
 SEEK IMMEDIATE MEDICAL ADVICE AND/OR ATTENTION.

HEALTH HAZARDS (ACUTE AND CHRONIC)  
 ACUTE: EYE IRRITANT. SKIN IRRITANT. NARCOTIC IN HIGH CONCENTRATIONS. CHRONIC:  
 UNKNOWN FOR PRODUCT AS A WHOLE.

CARCINOGENICITY: NTP CARCINOGEN: No IARC MONOGRAPHS: No OSHA REGULATED: No

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE  
 ACUTE AND CHRONIC LIVER AND KIDNEY DISEASE, ANEMIA.

===== SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS =====

REPORTABLE COMPONENTS	CAS NUMBER	VAPOR PRESSURE		WEIGHT
		mm Hg	@ TEMP	PERCENT
AROMATIC PETROLEUM DISTILLATE	64742-94-5	.5	68	37
OSHA PEL: NOT ESTAB, ACGIH TLV: NOT ESTAB				
2-BUTOXYETHANOL, GLYCOL ETHER EB	111-76-2	.6	68	21
OSHA PEL: 25 PPM, ACGIH TLV: 25 PPM, : SKIN				
SOLVENT DEWAXED PARAFFINIC PETROLEUM DISTILLATE	64742-65-0	.001	77	7
OSHA PEL: 5.0 MG/M3, AS OIL MIST; ACGIH TLV: 5.0 MG/M3, AS OIL MIST				
MORPHOLINE	110-91-8	7	68	3
OSHA PEL: 20 PPM, ACGIH TLV: 20 PPM, : SKIN				
PROPANE	74-98-6	6350	68	8
OSHA PEL: 1000 PPM, ACGIH TLV: ASPHYXIAN				

\*\*\* No toxic chemical(s) subject to the reporting requirements of section 313  
 of Title III and of 40 CFR 372 are present. \*\*\*



CONTACT.

EYE PROTECTION

NONE UNDER NORMAL USE; HOWEVER, USE OF SAFETY GLASSES WITH SPLASH GUARDS OR FULL FACE SHIELD IS RECOMMENDED.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

NONE UNDER NORMAL USE; HOWEVER, USE OF SOLVENT RESISTANT APRONS OR OTHER CLOTHING IS RECOMMENDED.

WORK/HYGIENIC PRACTICES

EYE WASHES AND SAFETY SHOWERS IN THE WORKPLACE ARE RECOMMENDED.

===== SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES =====

BOILING RANGE: -44 F - 500 F                      SPECIFIC GRAVITY (H2O=1): 0.86  
VAPOR DENSITY: HEAVIER THAN AIR                  EVAPORATION RATE: SLOWER THAN ETHER  
SOLUBILITY IN WATER: SLIGHT TO MODERATE  
APPEARANCE AND ODOR: AEROSOL PRODUCT

===== SECTION 10 - STABILITY AND REACTIVITY =====

STABILITY: STABLE

CONDITIONS TO AVOID

APPLICATION TO HOT SURFACES. STORAGE ABOVE 120 DEG F. EXPOSURE TO OPEN FLAME.

INCOMPATIBILITY (MATERIALS TO AVOID)

STRONG OXIDIZING AGENTS.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS

MAY PRODUCE FUMES WHEN HEATED TO DECOMPOSITION. FUMES MAY CONTAIN CARBON MONOXIDE AND OTHER TOXIC FUMES.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

===== SECTION 11 - TOXICOLOGICAL INFORMATION =====

LONG-TERM TOXICOLOGICAL STUDIES HAVE NOT BEEN CONDUCTED FOR THIS PRODUCT.

===== SECTION 12 - ECOLOGICAL INFORMATION =====

LONG-TERM ECOLOGICAL STUDIES HAVE NOT BEEN CONDUCTED FOR THIS PRODUCT.

===== SECTION 13 - DISPOSAL CONSIDERATIONS =====

WASTE DISPOSAL METHOD

DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS. BEFORE ATTEMPTING CLEAN UP, REFER TO OTHER SECTIONS OF THIS MSDS FOR HAZARD CAUTION INFORMATION.

===== SECTION 14 - TRANSPORT INFORMATION =====

BY LAND: SHIPPING NAME: CLEANING COMPOUND, NOI

BY WATER: DOT PROPER SHIPPING NAME: UN 1950, Aerosols, 2.1, LTD QTY

BY AIR: DOT PROPER SHIPPING NAME: UN1950, Aerosols, flammable, 2.1, LTD QTY

(Packing instruction Y203 applies)

===== SECTION 15 - REGULATORY INFORMATION =====

ALL INGREDIENTS ARE EITHER LISTED ON THE TSCA INVENTORY OR ARE EXEMPT.

===== SECTION 16 - OTHER INFORMATION =====

M A T E R I A L S A F E T Y D A T A S H E E T

L-14800

Page: 4

DATE PRINTED: 11/04/13

NAME OF PREPARER: ESP

HMIS CODES: H-2 F-4 R-0 P-

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF. BECAUSE THE INFORMATION CONTAINED HEREIN MAY BE APPLIED UNDER CONDITIONS BEYOND OUR CONTROL, WE ASSUME NO RESPONSIBILITY FOR ITS USE.